Notice of Allowability	Application No.	Applicant(s)	
	10/037,394	PELLERITE ET AL.	
	Examiner	Art Unit	
	Ramsey Zacharia	1773	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communica GHTS. This application is subje	application. If not included tion will be mailed in due course. THIS	tive
1. $\boxtimes$ This communication is responsive to <u>response filed 12 Apr</u>	<del>il 2004</del> .		
2. The allowed claim(s) is/are <u>14,23,26,29,32,35 and 38</u> .	•		
3. $\square$ The drawings filed on $\_\_\_$ are accepted by the Examine	r.	·	
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority ur</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Application No	··	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a re IENT of this application.	ply complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMIN es reason(s) why the oath or decl	ER'S AMENDMENT or NOTICE OF aration is deficient.	
6. CORRECTED DRAWINGS ( as "replacement sheets") mus  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	on's Patent Drawing Review(Pi s Amendment / Comment or in th	e Office action of	
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIA FOR THE DEPOSIT OF BIOLOG	L must be submitted. Note the GICAL MATERIAL.	
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summa Paper No./Mail	Date <u>attached</u> .	
<ul> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li> <li>4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>		ndment/Comment	

. . .

Application/Control Number: 10/037,394

Art Unit: 1773

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Carolyn A. Fischer on 04 May 2004.

The application has been amended as follows.

In claim 14, the term "comprising" on line 4 has been replace with --consisting of-- and the phrase --, and wherein said compound is free of heavy metals and transition metals-- has been added after the term "thereof" on line 5.

Claim 15 has been cancelled.

2. The following is an examiner's statement of reasons for allowance.

The invention as claimed is directed to an optical element, as defined on page 5, lines 7-9 of the specification, having a surface treatment comprising a fluorochemical compound having the general formula  $(C_nF_{2n+1})$ -X, wherein n is 1 to 4 and X is a polar group or polar group containing organic radical. The polar group is selected from the group consisting of sulfonic acids, sulfonamides, sulfonimides and salt thereof, as well as silanes, and mixtures thereof. Additionally, the compound is free of heavy metals and transition metals.

Application/Control Number: 10/037,394

Art Unit: 1773

Weber et al. and Diesslin et al. represent the closest prior art. However, Weber et al. do not teach or suggest a coating comprising the claimed compound that is also free of heavy metals and transition metals. Weber et al. teach chromium complexes that may have a tail of 4-10 carbon atoms. Diesslin et al. do not teach compounds containing a polar group is selected from the group consisting of sulfonic acids, sulfonamides, sulfonimides and salt thereof, as well as silanes, and mixtures thereof.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramsey Zacharia whose telephone number is (571) 272-1518. The examiner can normally be reached on Monday through Friday from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Thibodeau, can be reached on (571) 272-1516. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 1773

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ramsey Zacharia Primary Examiner

Tech Center 1700